

LineSelect Model 9438 Single Channel DB9 A/B/C/D/E/F Switch

 Ideal for device-sharing applications; Applicable to ANY DB9 interface devices. INTRODUCTION

The LineSelect® Model 9438 DB9 A/B/C/D/E/F Switch allows the user to reroute data between any one of six devices to one COMMON device with the simple rotation of a selector switch. All nine pins of the DB9 interface are supported. No need to plug and unplug interconnection cables thereby eliminating connector wear and/or errors when reconfiguring networks. The LineSelect® Model 9438 is enclosed in a 1U, full rack size, all metal black chassis designed to provide EMI/RFI shielding and fit in a standard 19" rack.

FEATURES

- Allows quick connection to any one of six devices from one COMMON port.
- Manual operation via front-panel rotary switch.
- High quality sealed switch with self-wiping precious metal contacts.
- Eliminates the need to plug and unplug cables.
- Transparent to data speed and format.
- All 9 pins of the DB9 interface are switched via break-before-make rotary switch.
- No external power required.
- Attractive all metal black box packaging provides EMI/RFI shielding.
- Custom length DB9 cables available for your switch installation.
- Lifetime warranty against manufacturing defects.



SPECIFICATIONS:

PORT CONNECTORS: (7) DB9 female connectors on rear panel labeled A, B, C, D, E, F, and COMMON.

FRONT PANEL CONTROL: (1) Rotary switch on front


panel selects A, B, C, D, E, or F.

POWER: No power required. Manually operated. **DIMENSIONS:** 18.84" W x 1.72" H x 8.81" D.

(48.3 x 4.5 x 22.4 cm)

WEIGHT: Approximately 4.2 lbs. (1.9 kg)

Custom Length DB9 cables available for your switch installation. State cable length in Feet when ordering.		
Part Number	Description	Call for price!
990127-Custom Length	Order in Feet, DB9 F/F, 9-Conductor Unshielded PVC Cable	Call for price!
990125-Custom Length	Order in Feet, DB9 M/F, 9-Conductor Unshielded PVC Cable	Call for price!
990126-Custom Length	Order in Feet, DB9 M/M, 9-Conductor Unshielded PVC Cable	Call for price!



36 Western Industrial Drive, Cranston, RI 02921 Tel: 401-943-1164 Fax: 401-946-5790 www.ElectroStandards.com E-mail: eslab@ElectroStandards.com